




# TP-Link TL-SG105S Unmanaged Gigabit Ethernet (10/100/1000) Schwarz

Marke : TP-Link

Artikel-Code: TL-SG105S V2

Produktname : TL-SG105S

TP-Link TL-SG105S. Switch-Typ: Unmanaged. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 5. Vollduplex. MAC-Adressentabelle: 2000 Eintragungen, Routing-/Switching-Kapazität: 10 Gbit/s. Netzstandard: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x. Wandmontage



Management-Funktionen		Design	
Switch-Typ *	Unmanaged	LED-Anzeigen	✓
Quality of Service (QoS) Support	✓	Wandmontage	✓
Anschlüsse und Schnittstellen		Zertifizierung	CE, FCC, RoHS
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	5	Leistungen	
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)	Plug & Play	✓
Anzahl Gigabit Ethernet (Kupfer) Anschlüsse	5	Leistung	
Netzwerk		Energiequelle *	Gleichstrom
Netzstandard *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x	Netzteil enthalten *	✓
10G-Unterstützung *	✗	Eingangsstrom	0,6 A
Kupfer Ethernet Verkabelungstechnologie	10BASE-T, 100BASE-TX, 1000BASE-T	Eingangsspannung	5 V
unterstützte Kabeltypen	Cat3, Cat4, Cat5, Cat5e	Ausgangsspannung	9 V
Vollduplex	✓	Ausgangsstrom	0,6 A
Unterstützung Datenflusssteuerung	✓	Stromverbrauch (max.)	2,3 W
Auto MDI/MDI-X	✓	Power over Ethernet (PoE)	
Auto-Negotiation-Funktion	✓	Power over Ethernet (PoE) *	✗
Selbstlernen von MAC-Adressen unterstützt	✓	Betriebsbedingungen	
Auto-Änderung von MAC-Adressen unterstützt	✓	Betriebstemperatur	0 - 40 °C
		Temperaturbereich bei Lagerung	-40 - 70 °C
		Relative Luftfeuchtigkeit in Betrieb	10 - 90%
		Luftfeuchtigkeit bei Lagerung	5 - 90%
		Wärmeableitung	7,83 BTU/h
Datenübertragung		Gewicht und Abmessungen	
Routing-/Switching-Kapazität *	10 Gbit/s	Breite	99,8 mm
Transferrate	7,4 Mpps	Tiefe	97,8 mm
MAC-Adressentabelle *	2000 Eintragungen	Höhe	25 mm
Store-and-Forward	✓	Verpackungsdaten	
Jumbo Frames Unterstützung	✓	Mitgelieferte Kabel	AC
Jumbo-Frames	16000	Benutzerhandbuch	✓
Datenpaket-Pufferspeicher	1 MB	AC-Netzadapter	✓
		Verpackungsart	Box

Sicherheit		Verpackungsdaten	
IGMP snooping	✓	Gummifüße	✓
Design		Verpackungsbreite	128 mm
Rack-Einbau *	✗	Verpackungstiefe	125 mm
Produktfarbe	Schwarz	Verpackungshöhe	92 mm
Gehäusematerial	Stahl	Logistikdaten	
		Warentarifnummer (HS)	85176990



6935364083519



6935364095024

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 07-JUN-2023. Prints or copies of Information are only valid on the printed Publication date